Color: White

Revision Date: 11-04-2022



SECTION 1 – IDENTIFICATION		
PRODUCT NAME	Ames'® Paint & Prime®	
OTHER MEANS OF IDENTIFICATION	PP25	
END USE	Latex paints and coatings, water borne dispersion	
MANUFACTURER	Ames Research Laboratories, Inc. Salem, Oregon 97302 Corporate Office: 1891 16 th Street SE Salem, Oregon 97302-1436 (503) 588-3330	
EMERGENCY PHONE NUMBER	1-888-345-0809 or Chemtrec 1-800-424-9300	

SECTION 2 – HAZARD IDENTIFICATION	N	
CLASSIFICATION	Acute Toxicity, Dermal – 5:	
	Serious Eye Damage/Eye Irritation – 2B:	
	Acute Toxicity, Inhalation – 5:	
SIGNAL WORD	WARNING	
HAZARD STATEMENT	May be harmful in contact with skin	
	Causes eye irritation May be harmful if inhaled	
HAZARD PICTOGRAMS		
HAZARD FICTOGRAMS	!	
LABEL ELEMENTS	Signal Word- WARNING	
	Hazard Pictogram-	
	<u>!</u>	
	Hazard Statement-	
	-May be harmful in contact with skin -Causes eye irritation	
	Precautionary StatementsWear protective gloves/protective clothing/eye protection/face protectionAvoid breathing dust/fume/gas/mist/vapor/spray Use in well-ventilated area. If hands or other body parts come in contact, wash thoroughly after handlingIF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. If eye irritation persists: Get medical attention from a physicianIF ON SKIN OR INHALED: Call a POISION CENTER or doctor/physician if you feel unwell.	
PRECAUTIONARY STATEMENT(S)	Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapor/spray. Use in well-ventilated area. If hands or other body parts come in contact, wash thoroughly after handling.	

Ames'® Paint & Prime®

Product Name (as used on Label and List)

Color: White

Revision Date: 11-04-2022



GHS Safety Data Sheets (SDS)

	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. If eye irritation persists: Get medical attention from a physician.
	IF ON SKIN OR INHALED: Call a POISION CENTER or doctor/physician if you feel unwell.
HAZARDS NOT OTHERWISE CLASSIFIED	N.A.

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS		
SUBSTANCE / MIXTURE	Mixture	
OTHER MEANS OF IDENTIFICATION	N. A.	
CAS # / IDENTIFIERS		
INGREDIENT NAME	% BY WEIGHT	CAS NUMBER
Proprietary Acrylic Polymer*	40 – 50 %	Proprietary
Titanium Dioxide Pigment	20 – 30 %	13463-67-7
Water	15 – 25 %	7732-18-5
Propylene Glycol	1 – 5 %	57-55-6

Any concentrations shown in a range are to protect trade secret confidentiality or is due to batch variation. There are no additional ingredients present, which within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

SECTION 4 – FIRST AID MEASURES			
DESCRIPTION OF NECESSARY FIRST AID MEASURES			
EYE CONTACT	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and		
	easy to do so while rinsing. If eye irritation persists: Get medical attention from a physician.		
INHALATION	Remove affected individual(s) to fresh air. Get medical attention from a physician if breathing difficulty develops.		
SKIN CONTACT	Wash skin with soap and water. Remove contaminated clothing. Get medical attention if irritation develops. Wash contaminated clothes before reuse.		
INGESTION	If swallowed, rinse mouth thoroughly. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention if irritation persists or if concerned.		
MOST IMPORTANT SYMPTO	MOST IMPORTANT SYMPTOMS / EFFECTS, ACUTE AND DELAYED		
EYE CONTACT	May cause eye irritation		
INHALATION	May cause respiratory tract irritation		
SKIN CONTACT	May cause skin irritation		
INGESTION	N/A. No data on latex. Ingestion not a probable route of entry.		
INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDS, IF NECESSARY			
EYE CONTACT	N/A		
INHALATION	N/A		
SKIN CONTACT	N/A		
INGESTION	N/A		

SECTION 5 – FIRE FIGHTING MEASURES	
EXTINGUISHING MEDIA: SUITABLE MEDIA	To extinguish combustible residues of this product, use water fog, CO2, dry
	chemical or chemical foam or alcohol-resistant foam.
EXTINGUISHING MEDIA: UNSUITABLE MEDIA	N/A
SPECIFIC HAZARDS ARISING FROM THE	Under fire conditions, some components of this product may decompose. The
CHEMICAL	smoke may contain unidentified toxic and/or irritating compounds. Hazardous
	combustion products may include and are not limited to hydrocarbons, CO,
	hydrogen chloride and dense smoke.

Color: White

Revision Date: 11-04-2022



SPECIAL PROTECTIVE ACTIONS FOR FIRE-FIGHTERS	Keep people away. Isolate fire area and deny unnecessary entry. Containers of this material may build up pressure if exposed to heat (fire). Use water spray to cool fire-
	exposed containers.
SPECIAL EQUIPMENT FOR FIRE-FIGHTERS	Wear self-contained breathing apparatus (SCBA) and full fire-fighting protective clothing. If protective equipment is not available or not used, fight fire from a
	protected location or safe distance.

SECTION 6 – ACCIDENTAL RELEASE MEASURES		
PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES		
FOR NON-EMGERGENCY PERSONNEL	Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.	
FOR EMERGENCY PERSONNEL	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	
ENVIRONMENTAL PRECAUTIONS	Avoid runoff into storm sewers and ditches that lead to waterways. This product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Consult your state or local authorities for proper disposal in the event that more restrictive requirements apply.	
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP		
LARGE SPILLS	Soak spills with sand or earth and remove. Repeat sorbent/sweep cycle until the spill is dried up. Large spills of the material may best be cleaned up by absorbing the liquid on solid materials such as vermiculite, clay, kitty litter, or by adding aqueous electrolyte to coagulate the polymer for disposal in an approved landfill. Collect and dispose according to local regulations.	
SMALL SPILLS	Flush with water.	

SECTION 7 – HANDLING AND STORAGE	
PRECAUTIONS FOR SAFE HANDLING	
PROTECTIVE MEASURES	Use in a well ventilated area. Keep out of reach of children. If user operations generate dust, fume, or mist, use ventilation to keep exposure to airborne contaminants below the respective exposure limits. Use goggles and gloves. Similar to most latex paints.
GENERAL HYGIENE	Do not take internally. Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Avoid breathing vapors from heated material.
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATABILITIES	Keep container closed when not in use. Dries rapidly. PROTECT FROM FREEZING.

SECTION 8 – EXPOSURE CONTROL/PERSONAL PROTECTION OCCUPATIONAL EXPOSURE LIMITS				
Proprietary Acrylic Polymer		N.E.	N.E.	
Titanium Dioxide		15 mg/m³ (Total dust)	2.5 mg/m³ (respirable dust)	
Propylene Glycol		N.E.	N.E.	
CONTROLS				
ENGINEERING CONTROLS	resp	Local exhaust ventilation may be necessary to control any air contaminants to within their respective exposure limits during the use of this product. Contains low levels of ammonia for pH control.		
PERSONAL PROTECTIVE EQUIPMENT	vent cont	Wear NIOSH/MSHA approved respirator when the product is mixed or applied in poorly ventilated areas or if the workplace levels of ingredients exceed exposure limits. When contact is likely, wear chemical resistive gloves, chemical safety goggles with a face shield, and clean protective clothing to cover arms and legs at a minimum.		

Color: White

Revision Date: 11-04-2022



SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES		
APPEARANCE		
PHYSICAL STATE	Liquid	
COLOR	White	
ODOR	Slight ammonia odor	
ODOR THRESHOLD	N. D.	
pH	9.0 – 10	
MELTING POINT	N/A	
BOILING POINT	212° F (100° F)	
FREEZING POINT	32° F (0° C)	
FLASH POINT	N.A.	
EVAPORATION RATE	Similar to Latex paint, water based Latex polymers	
FLAMMABILITY (SOLID, GAS)	N/A	
UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS	N.A.	
VAPOR PRESSURE	N/A	
VAPOR DENSITY	N/A	
RELATIVE DENSITY	N/A	
SOLUBILITY(IES)	Product is sold as dilutable. Polymer component is insoluble.	
PARTITION COEFFICIENT: N-OCTANOL / WATER	N/A	
AUTO-IGNITION TEMPERATURE	N.A.	
DECOMPOSITION TEMPERATURE	N/A	
VISCOSITY	800-1800 cps	
SPECIFIC GRAVITY	1.25 – 1.30	

SECTION 10 – STABILITY AND REACTIVITY		
REACTIVITY	This product is not reactive under normal conditions.	
CHEMICAL STABILITY	This product is stable under normal storage conditions and during its intended use.	
POSSIBILITY OF HAZARDOUS	Will not occur under normal conditions.	
REACTION		
CONDITIONS TO AVOID	Avoid freezing temperatures (less than 32° F or 0° C). Products decompose at elevated	
	temperatures. Avoid contact with oxidizing material.	
INCOMPATIBLE MATERIALS	Addition of chemicals, such as acids or multivalent metal salts, may cause coagulation.	
HAZARDOUS DECOMPOSITION	Hazardous decomposition products depend upon temperature, air supply and the presence of other	
PRODUCTS	materials. Thermal decomposition may produce various hydrocarbons, oxides of carbon, and	
	irritating, acrid vapors.	

SECTION 11 – TOXICOLOGICAL INFORMATION	
INFORMATION ON TOXICOLOGICAL EFFECTS	
ACUTE TOXICITY	May cause slight irritation to skin, eyes, throat and respiratory tract.
IRRITATION / CORROSION	May cause slight irritation to skin, eyes, throat and respiratory tract.
SENSITIZATION	N.A.
MUTAGENICITY	N.A.
CARCINOGENICITY	N.A.
REPRODUCTIVE TOXICITY	N.A.
TETRAOGENICITY	N.A.
SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)	N/A
SPECIFIC TARGET ORGAN TOXICITY (REPEATED	N/A
EXPOSURE)	
ASPIRATION HAZARD	N/A
INFORMATION ON LIKELY ROUTES OF EXPOSURE	Dermal is likely route of exposure.
POTENTIAL ACUTE HEALTH EFFECTS	
EYE CONTACT	May cause slight irritation

Color: White

Revision Date: 11-04-2022



			J ()	
INHALATION		May cause respiratory tra	act irritation	
SKIN CONTACT		May cause irritation		
INGESTION		Irritating to mouth, throat and stomach		
SYMPTOMS RELATED TO THE PHYSICAL, CHE	MCIAL AND TOXI	COLOGICAL CHARAC	TERISTICS	
EYE CONTACT	1	N/A		
INHALATION	1	I/A		
SKIN CONTACT		I/A		
INGESTION	1	I/A		
DELAYED AND IMMEDIATE EFFECTS AND ALS	O CHRONIC EFFE	CTS FROM SHORT A	ND LONG TERM EXPOSURE	
SHORT TERM EXPOSURE - POTENTIAL IMMED	DIATE N	I/A		
EFFECTS				
SHORT TERM EXPOSURE - POTENTIAL DELAY		I/A		
LONG TERM EXPOSURE - POTENTIAL IMMEDIA		I/A		
LONG TERM EXPOSURE – POTENTIAL DELAYED EFFECTS		I/A		
POTENTIAL CHRONIC HEALTH EFFECTS				
GENERAL		N.A.		
CARCINOGENICITY		N.A.		
MUTAGENICITY		N.A.		
TERATOGENCITY		N.A.		
DEVELOPMENTAL EFFECTS		I.A.		
FERTILITY EFFECTS		1.A.		
NUMERICAL MEASURES OF TOXICITY (ACUTE	TOXICITY	1.A.		
ESTIMATE)				
TOXICOLOGICAL DATA:				
INGREDIENT	ORAL RAT	SKIN RABBIT	INHALATION RAT (LC50)	
	(LD50)	(LD50)		
Proprietary Acrylic Polymer	N/A	N/A	N/A	
Titanium Dioxide	10000 mg/kg	N/A	N/A	
Propylene Glycol	>20000 mg/kg	>10000 mg/kg	6.15 mg/l	

SECTION 12 – ECOLOGICAL INFORMATION		
TOXICITY	Contains water-based acrylic. Relative non-toxic to environment.	
PERSISTENCE AND DEGARDABILITY	N/A	
BIOACCUMULATIVE POTENTIAL	N/A	
MOBILITY IN SOIL	N/A	
OTHER ADVERSE EFFECTS	N/A	

SECTION 13 – DISPOSAL CONSIDERATIONS		
DISPOSAL CONSIDERATIONS Review all local, state, and federal regulations concerning health and pollution for		
	appropriate disposal procedures.	

SECTION 14 – TRANSPORTATIO	N INFORMATION				
DOT PROPER SHIPPING NAME			Not regulated		
	DOT Classification	TDG Classification	Mexico Classification	IMDG	IATA
UN NUMBER	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN PROPER NAME	-	-	-	-	-
PACKING GROUP	-	-	-	-	-
TRANSPORT HAZARD CLASS(ES)	-	-	-	-	-
ENVIRONMENTAL HAZARDS	No.	No.	No.	No.	No.
ADDITIONAL INFORMATION	Special Provisions Not Applicable	Special Provisions Not Applicable	Special Provisions Not Applicable	Emergency Schedules (Ems) Not Applicable	Special Provisions Not Applicable

Ames'® Paint & Prime®

Product Name (as used on Label and List)

Color: White

Revision Date: 11-04-2022



GHS Safety Data Sheets (SDS)

SPECIAL PRECATIONS FOR USERS:	consider container sizes. of transport (sea, air, etc. the mode of transport. All and compliance with the a offering the product for tra be trained on all of the ris emergency situations.	criptions are provided for information purposes and do not The presence of a shipping description for a particular mode), does not indicate that the product is packaged suitably for packaging must be reviewed for suitability prior to shipment, applicable regulations is the sole responsibility of the person ansport. People loading and unloading dangerous goods must ks deriving from the substances and on all actions in case of
TRANSPORT IN BULK ACCORDING TO ANNEX AND THE IBC CODE	(II OF MARPOL II 73/78	N.A
PROPER SHIPPING NAME		N.A
SHIP TYPE		N.A
POLLUTION CATEGORY		N.A

SECTION 15 - REGULATORY INFORM	ATION
U.S. FEDERAL REGULATION	
OSHA	Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200)
CERCLA – SARA HAZARD CATEGORY	This product has been reviewed according to the EPA "Hazard Categories" promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following category: None.
SARA SECTION 313	This product does not contain toxic chemical(s) at or above the de minimus concentrations subject to the reporting requirements of section 313 of Title III Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372.
TOXIC SUBSTANCES CONTROL ACT	This product meets the compositional requirements of the Toxic Substances Control Act and contains only chemical ingredients that are listed on the TSCA inventory.
CALIFORNIA PROP. 65	This product may contain chemical(s) known to the state of California to cause cancer and/or birth defects or other reproductive harm.
INTERNATIONAL REGULATIONS	
CANADIAN EPA	This product complies with Domestic Substance List of the Canadian Environmental Agency.
CANADIAN WHMIS CLASS	N/A

SECTION 16 – OTHER INFORMATION				
HMIS RATINGS	HEALTH	FLAMMABILITY	REACTIVITY	PERSONAL PROTECTION
	1	0	0	В

EUROPEAN PRECAUTIONARY PICTOGRAMS General:





If spraying or in poorly ventilated area:













PREVIOUS SDS REVISION DATE	09-18-2019
REASON FOR REVISION	Added label element and new exposure limits ffor titanium
VOLATILE ORGANIC COMPOUNDS	<100 grams/liter
(VOC'S)	
LEGEND	N.A. – Not Applicable, N.E. – Not Established, N.D. – Not Determined

Color: White

Revision Date: 11-04-2022



GHS Safety Data Sheets (SDS)

	y
ABBREVIATIONS USED	N/A – Information or data not available, NTP – National Toxicological Program, IARC – International Agency for Research on Cancer, NIOSH – National Institute of Occupational Safety and Health, PEL – Permissible Exposure Limit (8-hour TWA OSHA), TLV – Threshold Limit Value (8-Hour TWA ACGIH), STEL – Short Term Exposure Limit (15 min. TWA OSHA), C – Ceiling Value
NOTICE TO READER	It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult resources, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. This information is provided in good faith and believed to be accurate as of the effective date herein. However, no warranty, express or implied, is given, the information presented here applies only to the product as shipped. The addition of a material can change the composition, hazards and risks of the product. Regulatory requirements are subject to change and may differ between various locations and jurisdictions. The customer/buyer/user is responsible to ensure that their activities comply with all country, federal, state, provincial or local laws. The conditions for use of the product are not under the control of the manufacturer; the customer/buyer/user is responsible to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific SDS, the manufacturer cannot be responsible for the SDS's obtained from any other source. Note: This information must be included in all SDS that are copied and distributed for this material.

END OF SAFETY DATA SHEET

Obsolete 1 day after Page 7 of 7 8.2-SPP 11-04-22